

DCC Hermann-Wandersleb-Ring 4 53121 Bonn Germany

 Phone:
 +49 - (0)228 / 308901 - 0

 Fax:
 +49 - (0)228 / 308901 - 9

 E-mail:
 info@dermaconsult.com

 Web:
 www.dermaconsult.com

 Date:
 23.10.2023

Combined In-use Skin Tolerance Observation & User Trial On Subjects With Atopic Dermatitis Conducted With "Callusan verde cream mousse / Cremeschaum"

(Cosmetic Study)

Summary

Study Sponsor:	Greppmayr GmbH Hainbuchenring 4 82061 Neuried Germany
	Derma Consult Concept GmbH Hermann-Wandersleb-Ring 4 53121 Bonn Germany
Date of Order:	03.08.2023
Study Code:	DCC23U015
Study Objective:	To evaluate skin tolerance of the test product and its suitability for the use by individuals with atopic dermatitis as supplementary cosmetic care & subjective evaluation of its cosmetic properties and efficacy in conditions of regular, frequent use
Supervisors of Study:	Dr. med. H. Prieur, Dermatologist – Allergist B. Nissen, Manager Derma Consult Concept
Test Product:	The test product, which was coded as follows, was provided by Greppmayr GmbH in August 2023 in neutral packaging:
	A. Callusan verde cream mousse / Cremeschaum (25072023)
Test Area:	Body
manager: Boris Nissen	district court Bonn HRB 12566

Subjects	Number of individuals: 30 (selected from 35 starting preconditioning) Sex (completing): 18 female, 12 male Age range (completing): 22-59 years (average: 41,4) Main selection criteria: atopic dermatitis (during symptom free interval) & min. occasional itching
Application:	Duration: 28 days Frequency.: twice daily
Test Period:	September / October 2023
Results:	Skin Tolerance Assessment No incompatibility or discomfort resulting from the test product treatment was observed in or reported by any of the volunteers.
	Overall, the test product showed good skin compatibility under the given test conditions and it can be concluded that, in normal use, the test product is suitable as a supplementary cosmetic care product for individuals with atopic dermatitis.
	Subjective Evaluation / Questionnaire
	After regular use during a period of 28 days, the test product was overall received favourably with the great majority of subjects confirming to be overall happy with the product, that they would prefer it over regular creams or ointments, would recommend it and would be willing to buy it. Regarding application they confirmed the product to be easy to apply, to be well and quickly spreadable, to have a pleasant scent, to feel pleasantly light on the skin, to be quickly and completely absorbed by the skin, not to leave a sticky or greasy feeling on the skin, but a pleasant skin sensation, after application their skin to feel intensely well-cared for, soothed and relaxed and the application to be overall more pleasant and quicker than that of a regular cream or ointment. Regarding efficacy in regular use they confirmed the product to intensely hydrate the skin, their skin to feel smoother and more supple, overall the product to alleviate / reduce skin irritations, to be suitable for their sensitive skin, to be more convenient than

regular creams or ointments, the condition of their skin to have improved since using the product and presentation as form to be optimally suited for daily use. Of the affected subjects, the great majority confirmed the product to reduce feelings of tension, itching and skin redness.

Study Objective

To evaluate skin tolerance of the test product and its suitability for the use by individuals with atopic dermatitis as supplementary cosmetic care & subjective evaluation of its cosmetic properties and efficacy in conditions of regular, frequent use.

Performance of Test

The subjects were selected from the Derma Consult Concept GmbH database. They were informed about importance and meaning of the study; they could withdraw from the study at any time without giving any reason. To be able to immediate replace subjects at the start of the application phase, total 35 subjects were recruited to start the preconditioning phase. Written informed consent was obtained from all the subjects prior to entry into the trial. The following criteria were used for selection of subjects – apart from these criteria no adjustments to resemble any specific target population were made:

for inclusion in study:

- ≥ 18 years of age
- previously diagnosed with atopic dermatitis, at time of study / application phase start during a symptom free interval (no topical or systemic medical treatment)
- fundamentally clinically healthy (apart from previously diagnosed atopic dermatitis)
- min. occasional itching in designated treatment area during the week prior to start of the application phase (self-assessed)
- ability to comply with the requirements of the study

for exclusion from study:

- skin diseases or any other medical condition interfering with the objectives of the study
- acute atopic dermatitis phase, requiring medical treatment
- use of corticosteroids during 2 weeks prior to start of application phase
- pregnancy (women)
- planned medical treatment / vacation during study period

The subjects were instructed not to use any skin care preparations on their body (hands excluded) starting from seven days prior to testing (preconditioning phase) and until the end of the test. For skin cleansing during the preconditioning and application phases of the study, water and a mild syndet (Eubos[®] flüssig – blau; manufacturer: Dr. Hobein, D-53340 Meckenheim-Merl, Germany) were allowed only (hands excluded). Unavoidable contact of the test areas with other cleansing agents (i.e. when showering or bathing) was expressly not prohibited.

On the initial study visit to the test institute after the preconditioning phase, the subjects were questioned on their medical history, their skin condition was examined and the in- and exclusion criteria were reassessed. The first 30 subjects in good health matching the criteria were enrolled into the application phase of the study (see appendix II for data recording instrument). Any non-matching subjects were replaced.

After instructions to choose the areas of application (application on extended areas of the body in need of care by choice – covering predilection sites), the selected subjects were asked to complete the initial part of the study questionnaire (see appendix III) and subsequently received the test product along with application instructions as provided by the study sponsor and printed on the

samples for twice daily use on the body (application amount not standardized):

Shake can thoroughly before use. For extraction, hold the can with the nozzle facing downwards. See figure to the right. Use sparingly. Apply a walnut-sized amount onto the affected skin areas and massage in thoroughly. Only for external use on unharmed skin.

The subjects were reminded not to use any other skin care preparations on their body apart from the test product (hands excluded), to continue to use only the supplied mild syndet and water for skin cleansing (hands excluded) and asked to return to the test institute after 28 days of regular home use. In case of any problems with the test product, suspected incompatibility or discomfort, or a change in the condition of their atopic dermatitis, they were instructed to immediately contact the study supervisor and schedule a visit at the test institute. In case a subject reached a condition where topical or systemic medical treatment of her/his atopic dermatitis was required, the subject was immediately excused from the study. Any such events were recorded. Because of the staged nature of atopic dermatitis, drop-outs related to entering an acute phase are not attributed to the use of the test product, unless surrounding circumstances suggest a likely relation.

The subjects completing the full treatment period were, on their concluding visit, first asked to complete the second and final part of the study questionnaire (see appendix III) and subsequently were questioned on their experience with the test product with regards to skin tolerance issues or any other product related problems. Any problem reports were followed up by an in-depth interview and the designated treatment areas were examined for any signs of irritative or allergic responses to the test product.

Questionnaire design and evaluation were conducted using Keypoint 5.54 (MU + Data Entry, Cambridge Software Publishing, UK). For maximum compliance and ease in evaluation and to additionally minimize item nonresponse by making it easier for subjects to complete the questionnaire, closed dichotomous and multichotomous questions were used, the latter mostly in the form of a balanced Likert scale (expression of the level of agreement / disagreement to fixed statements). Because of the duration of the study in the subjective ratings of efficacy with regards to feelings of tension, itching and skin redness, a twofold approach was used on these central issues of the questionnaire. Besides the direct assessment, an indirect assessment was conducted by additionally questioning the subjects on the current state (looking back at the respective past week) at both times of questioning without revealing their prior responses on the second visit.

The questionnaire, designed according to the instructions of the study sponsor, is included in appendix III (German original as answered to by the volunteers & the English translation).

Results

The concluding study visit of subject 13 was delayed by 2 days for medical reasons unrelated to the conduct of the study – the subject continued product treatment. Considering the short delay in relation to the planned for total application duration of 28 days and no time-specific questions asked, the study supervisors accepted the timing deviation as preferable to a reduced subject number by excusing the affected subject from the study. As all other subjects completed the study as planned, the entire evaluation is based on the complete results from 30 volunteers, 18 females and 12 males. The completing subjects of this study were between 22 - 59 years of age (average: 41,4).

Tolerance / Incompatibility

None of the subjects dropped out of the study. No incompatibility was observed in or reported by any of the volunteers; also no reports of discomfort or any other kind of tolerance related problem were made.

Questionnaire Results

A full graphic and tabulated review of the questionnaire results can be found in appendix IV & V, the raw answers to the questionnaire in tabulated form in appendix VI.

The subjects rated themselves the skin in the treatment areas as 23% very dry, 70% dry and 7% normal. They rated the sensitivity of their skin as 23% very sensitive and 77% sensitive.

Regarding application after 28 days of regular use, the great majority of subjects confirmed the product to be easy to apply (97%), to be well (90%) and quickly (93%) spreadable, to have a pleasant scent (77%), to feel pleasantly light on the skin (90%), to be quickly (87%) and completely (83%) absorbed by the skin, not to leave a sticky (90%) or greasy (93%) feeling on the skin, but a pleasant skin sensation (90%), after application their skin to feel intensely well-cared for (87%), soothed (73%) and relaxed (77%) and the application to be overall more pleasant (77%) and quicker (70%) than that of a regular cream or ointment.

Regarding efficacy after 28 days of regular use, the great majority of subjects confirmed the product to hydrate the skin (97%) and to do so intensely (90%), their skin to feel smoother (90%) and more supple (87%), overall the product to alleviate / reduce skin irritations (83%), to be suitable for their sensitive skin (93%), to be more convenient than regular creams or ointments (73%), the condition of their skin to have improved since using the product (87%) and presentation as form to be optimally suited for daily use (87%). A majority of subjects additionally confirmed the product to soothe the skin in case of irritations (67%).

Efficacy in targeting feelings of tension, itching and skin redness was assessed by a twofold approach. In addition to directly asking the subjects about perceived effects at the end of the study, as indirect assessment, the subjects were additionally asked at the start and end of the study about their skin state with regards to feelings of tension, itching and skin redness during the respective past week prior to questioning (see crosstabs in appendix V).

Regarding feelings of tension, in the indirect assessment, 75% (12 out of 16 affected subjects) reported on both a lower frequency of occurrence and an improvement in intensity at the end of the study. This positive result was confirmed by the direct assessment with the great majority of the affected subjects answering that the product reduces feelings of tension (81%).

Regarding itching, in the indirect assessment, 83% (25 out of 30 affected subjects) reported on a lower frequency of occurrence at the end of the study and in terms of intensity, an improvement was reported on by 80% (24 out of 30 affected subjects). This positive result was confirmed by the direct assessment with the great majority of the affected subjects answering that the product reduces itching (86%) and a majority additionally answering itching to be immediately reduced after product application (60%).

Regarding skin redness, in the indirect assessment, 71% (15 out of 21 affected subjects) reported on a lower frequency of occurrence at the end of the study and in terms of intensity, an improvement was DCC23U015

reported on by 81% (17 out of 21 affected subjects). This positive result was confirmed by the direct assessment with the great majority of the affected subjects answering that the product reduced skin redness (86%).

In line with these results, the great majority of subjects confirmed to be overall happy with the product (97%), that they would prefer it over regular creams or ointments (73%), would recommend it (80%) and would be willing to buy it (80%) - within the price range they would normally spend on branded supplementary cosmetic care products.

Conclusion

No incompatibility or discomfort resulting from the test product treatment was observed in or reported by any of the volunteers.

Overall, the test product showed good skin compatibility under the given test conditions and it can be concluded that, in normal use, the test product is suitable as a supplementary cosmetic care product for individuals with atopic dermatitis.

After regular use during a period of 28 days, the test product was overall received favourably with the great majority of subjects confirming to be overall happy with the product, that they would prefer it over regular creams or ointments, would recommend it and would be willing to buy it. Regarding application they confirmed the product to be easy to apply, to be well and quickly spreadable, to have a pleasant scent, to feel pleasantly light on the skin, to be quickly and completely absorbed by the skin, not to leave a sticky or greasy feeling on the skin, but a pleasant skin sensation, after application their skin to feel intensely well-cared for, soothed and relaxed and the application to be overall more pleasant and quicker than that of a regular cream or ointment. Regarding efficacy in regular use they confirmed the product to alleviate / reduce skin irritations, to be suitable for their sensitive skin, to be more convenient than regular creams or ointments, the condition of their skin to have improved since using the product and presentation as form to be optimally suited for daily use. Of the affected subjects, the great majority confirmed the product to reduce feelings of tension, itching and skin redness.

Signature:

B. Nissen Manager Derma Consult Concept

Signature:

Dr. med. H. Prieur Dermatologist - Allergist

Appendix I: Tabulated subject data

- Appendix II: Data recording instrument
- Appendix III: Questionnaire (German / English)
- Appendix IV: Graphic questionnaire evaluation
- Appendix V: Crosstabs & distribution tables
- Appendix VI: Tabulated questionnaire raw data

Appendix I

Tabulated subject data

Callusan verde cream mousse / Cremeschaum (25072023)

									Reported	Problems
						Regular		_ .		
Subject	A a a	Sex	Inclusion criteria	Exclusion criteria	Anomalies – Start	comp- letion	Unplanned termination -	Prob-	Redness	Stinging
Subject	Age 29	F			Anomalies – Start		reason	lems	Reuness	Stinging
1		•	Yes/Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
2	44	F	Yes/Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
3	53		Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
4	37	M	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No	-	Yes	-	No	-	-
5	24	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No	-	Yes	-	No	-	-
6	28	M	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No	-	Yes	-	No	-	-
7	46	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
8	24	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
9	52	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
10	42	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	_
11	24	М	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
12	36	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
13	31	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
14	50	Μ	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
15	41	М	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
16	46	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
17	50	М	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
18	22	М	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
19	25	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
20	56	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
21	33	М	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
22	48	М	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
23	50	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
24	48	М	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
25	47	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	-	No	-	-
26	39	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No	-	Yes	_	No	-	_
27	59	F	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No	-	Yes	-	No	-	-
28	56	F	Yes/Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No	-	Yes	-	No	-	-
29	53	M	Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No	-	Yes	-	No	-	_
30	49	M	Yes/Yes/Yes/Yes/Yes/Yes	No/No/No/No/No/No/No	-	Yes	_	No	_	_
00	70	111	103/103/103/103/103/103		-	103		NU	-	-

Callusan verde cream mousse / Cremeschaum (25072023)

	Reported Problems					Problem description	Anomalies – End		
Subject	Itching	Rash	Dryness / Scaling	Edema	Tension	Pimples / impurities	Other Problems		
1	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-

Appendix II

Data recording instrument (printout)

Verträglichkeit / Skin Compatibility - Cremeschaum / cream mousse - Start

Q1. Probandennummer / Subject No.		
Q2. Alter / Age		
Q3. Geschlecht / Gender weiblich / female männlich / male		
Q4. Einschlusskriterien / Inclusion Criteria	Ja / Yes	Nein / No
Q4.1. Alter / Age >= 18		
Q4.2. Diagnostizierte AD im symptomfreien Intervall (keine spezifische Therapie, weder lokal noch systemisch) / diagnosed AD during symptom free interval (no specific therapy, neither local nor systemic)		
Q4.3. Grundsätzlich klinisch gesund (abgesehen von Atopischer Dermatitis) / fundamentally clinically healthy (apart from atopic dermatitis)		
Q4.4. Zumindest gelegentlicher Juckreiz innerhalb der letzten Woche im Anwendungsbereich / at least occasional itching during past week in treatment area		
Q4.5. Bedingungen der Studie erfüllbar / ability to comply with study requirements		
Q4.6. Einverständniserklärung liegt vor / written consent is signed		
Q5. Ausschlusskriterien / Exclusion Criteria	Ja / Yes	Nein / No
Q5.1 . Alter / Age < 18		
Q5.2. (Haut-)Erkrankung, die mit den Zielen dieser Untersuchung nicht vereinbar ist / (Skin-)disease interfering with the goals of the study		
Q5.3. AD befindet sich in einer akuten Phase, die spezifische Therapie benötigt / AD is in the acute phase, which requires a specific therapy		
Q5.4. Behandlung innerhalb der letzten 2 Wochen mit Kortikosteroiden / corticosteroid treatment during past 2 weeks		
Q5.5. Schwangerschaft (Frauen) / pregnancy (females)		
Q5.6. Geplante medizinische Behandlung in nächsten 4 Wochen / planned medical treatment during next 4 weeks		
Q5.7. Geplanter Urlaub in nächsten 4 Wochen / planned vacation during next 4 weeks		

Q6. Auffälligkeiten - Start / Anomalies - start:

.

Verträglichkeit / Skin Compatibility - Cremeschaum / cream mousse - Ende / End

Q7.	Reguläre Beendigung der Studie / [Regular completion of study] Ja / Yes	Nein* / No*
	Q8. *Unplanmäßige Beendigung - Bo	egründung / Unplanned termin	ation - reason
	·		
Q9.	Probleme während der Studie (bei zu Symptomen verstärktes oder vermeh Problems during study (in case of pre symptoms intensified or more frequer	rtes Auftreten) /	a* / Yes* 🗌 Nein / No
	Q10. *Problemspezifikation / Problem specification	Rötung* / Redness*	Ödem* / Edema*
		Brennen* / Stinging*	Spannungsgefühl* / Feelings of tension*
		Jucken* / Itching*	Pickel oder Unreinheiten* / Pimples or impurities*
		Ausschlag* / Rash*	Sonstige Probleme* / Other problems*
		Schuppung oder Austrocknung* / Dryness or Scaling*	

Q11. *Probleme oder Unverträglichkeiten - Beschreibung / Problems or incompatibilities - description

Q12. Auffälligkeiten - Ende / Anomalies end:

L____

_

.

Appendix III

Questionnaire (German / English)

Anwendungstest - Cremeschaum

Teil I - Start der Studie

Vielen Dank für Ihre Teilnahme an dieser Kosmetikstudie. Bevor Sie das Testprodukt kennenlernen, beantworten Sie bitte die folgenden Fragen zu Ihrem aktuellen Hautzustand:

Ihr aktueller Hautzustand

Frage 1.	Wie würden Sie Ihre Haut im (ausgewählten) Anwendungsbereich	sehr tro	cken	fettig	
	(ausgewählten) Anwendungsbereich bezeichnen? Als…] Mischhaut	
		normal			
Frage 2.	Wie würden Sie Ihre Haut im (ausgewählten) Anwendungsbereich insgesamt einschätzen? Als	sehr em	npfindlich] empfindlich] unempfindlich	
Frage 3.	Wie oft verspürten Sie im <i>(ausgewähl</i> Woche?	<i>lten)</i> Anwendungsl	bereich <mark>Spannung</mark> s	<mark>sgefühle</mark> in der letzten	
nie	selten	gelegentlich	oft	sehr oft	
	Frage 4. Falls Sie in der letzten Woch stark waren diese normalerv	veise ausgeprägt:	n Spannungsgefüh	le verspürten, wie	
	sehr schwach schwach	deutlich	stark	sehr stark	
Frage 5.	Wie oft verspürten Sie im (ausgewähl	<i>lten)</i> Anwendungsl	bereich <mark>Juckreiz</mark> in	der letzten Woche?	
nie	selten	gelegentlich	oft	sehr oft	
	Frage 6. Falls Sie in der letzten Woch dieser normalerweise ausge		n <mark>Juckreiz</mark> verspür	ten, wie stark war	
	sehr schwach schwach	deutlich	stark	sehr stark	
Frage 7.	Wie oft zeigten sich im (ausgewählter	n) Anwendungsber	eich Hautrötunger	in der letzten Woche?	
nie	selten	gelegentlich	oft	sehr oft	
	Frage 8. Falls sich in der letzten Woc zeigten, wie stark waren dies			n Anwendungsbereich	
	sehr schwach schwach	deutlich	stark	sehr stark	

Vielen Dank für Ihre Mitarbeit.

Anwendungstest - Cremeschaum

Teil II - Ende der Studie

Vielen Dank für Ihre Teilnahme an dieser Kosmetikstudie. Nachdem Sie Gelegenheit hatten das Testprodukt in den letzten 4 Wochen kennenzulernen, beantworten Sie bitte die folgenden Fragen zu Ihrem aktuellen Hautzustand und zu Ihren Eindrücken vom Testprodukt und seiner Wirkung:

Ihr aktueller Hautzustand

Frage 9. Wie oft verspürten Sie im (ausgewählten) Anwendungsbereich Spannungsgefühle in der letzten Woche?

nie		selten	gele	gentlich	oft	seh	r oft	
		s Sie in der letz k waren diese r				<mark>efühle</mark> verspür	ten, wie	
	sehr schwa	ach 🗌 schwa	ich	deutlich	stark	se	hr stark	
Block 11.		<u>Studienbeginn</u> ung zu folgende			•••	· ·	en Sie bitte	
			stimme voll und ganz zu	stimme eher zu	unentschieden	stimme eher nicht zu	stimme überhaupt nicht zu	
	dukt reduziert 1gsgefühle.							
Frage 12	. Wie oft versp	bürten Sie im <i>(a</i>	usgewählten)) Anwendungs	sbereich <mark>Juckr</mark> e	eiz in der letzte	n Woche?	
nie		selten	gele	gentlich	oft	seh	⁻ oft	
	0	s Sie in der letz ser normalerwe			en <mark>Juckreiz</mark> ver	spürten, wie st	ark war	
	sehr schwa	ach 🗌 schwa	ach	deutlich	stark	se	ehr stark	
Block 14.	Block 14. Falls Sie <u>bei Studienbeginn</u> zumindest selten Juckreiz verspürten, bewerten Sie bitte Ihre Zustimmung zu folgenden Aussagen über die Wirkung des Testproduktes:							
			stimme voll und ganz zu	stimme eher zu	unentschieden	stimme eher nicht zu	stimme überhaupt nicht zu	
Sofort na Juckreiz	ach einer Anwe reduziert.	endung ist						
Das Proc	dukt reduziert .	luckreiz.						
Frage 15	. Wie oft zeigte Woche?	en sich im <i>(aus</i>	gewählten) A	nwendungsbe	ereich <mark>Hautrötu</mark>	<mark>ngen</mark> in der let	zten	

	nie	selten	gelegentlich	oft	sehr oft
--	-----	--------	--------------	-----	----------

Frage 16. Falls sich in der letzten Woche zumindest selten Hautrötungen im Anwendungsbereich zeigten, wie stark waren diese normalerweise ausgeprägt:

sehr schwach	schwach	deutlich	stark	sehr stark

Block 17. Falls sich <u>bei Studienbeginn</u> zumindest selten Rötungen zeigten, bewerten Sie bitte Ihre Zustimmung zu folgender Aussage über die Wirkung des Testproduktes:

	stimme voll und ganz zu	stimme eher zu	unentschieden	stimme eher nicht zu	stimme überhaupt nicht zu
Das Produkt mildert / reduziert Hautrötungen.					

Anwendung - Ihre Einschätzung der Anwendungserfahrung

Block 18. Bitte bewerten Sie Ihre Zustimmung zu folgenden Aussagen über die Beschaffenheit und Anwendung des Testproduktes:

	stimme voll und ganz zu	stimme eher zu	unentschieden	stimme eher nicht zu	stimme überhaupt nicht zu
Das Produkt lässt sich leicht anwenden.					
Das Produkt lässt sich leicht verteilen.					
Das Produkt lässt sich schnell verteilen.					
Das Produkt hat einen angenehmen Geruch.					
Das Produkt fühlt sich auf der Haut angenehm leicht an.					
Das Produkt zieht schnell in die Haut ein.					
Das Produkt zieht vollständig in die Haut ein.					
Das Produkt hinterlässt kein klebriges Gefühl auf der Haut.					
Das Produkt hinterlässt kein fettiges Gefühl auf der Haut.					
Das Produkt hinterlässt ein angenehmes Hautgefühl.					
Nach der Anwendung fühlt sich meine Haut intensiv gepflegt an.					
Nach der Anwendung fühlt sich meine Haut beruhigt an.					
Nach der Anwendung fühlt sich meine Haut entspannt an.					
Insgesamt ist die Anwendung angenehmer als bei einer herkömlichen Creme oder Salbe.					
Insgesamt ist die Anwendung schneller als bei einer herkömmlichen Creme oder Salbe.					

Wirksamkeit - Ihre Einschätzung der Effekte des Testproduktes

Block 19. Bitte bewerten Sie Ihre Zustimmung zu folgenden Aussagen über die Wirkung des Testproduktes:

	stimme voll und ganz zu	stimme eher zu	unentschieden	stimme eher nicht zu	stimme überhaupt nicht zu
Das Produkt spendet der Haut Feuchtigkeit.					
Das Produkt spendet der Haut intensiv Feuchtigkeit.					
Das Produkt beruhigt die Haut bei Reizungen.					
Meine Haut fühlt sich glatter an.					
Meine Haut fühlt sich geschmeidiger an.					
Insgesamt mildert / reduziert das Produkt Hautreizungen.					
Insgesamt ist das Produkt für meine empfindliche Haut geeignet.					
Insgesamt hat sich der Zustand meiner Haut verbessert, seit ich das Produkt verwende.					
Insgesamt finde ich das Produkt praktischer als herkömmliche Cremes oder Salben.					
Die Darreichung als Schaum ist optimal für die tägliche Verwendung.					

Gesamtbewertung

Block 20. Bei der Beantwortung der folgenden Fragen nehmen Sie bitte an, dass sich der Preis des Produktes im Rahmen dessen bewegt, was Sie normalerweise für kosmetische Markenprodukte zur begleitenden Pflege ausgeben:

	Ja	Nein
Insgesamt bin ich mit diesem Produkt zufrieden.		
Ich würde dieses Produkt kaufen.		
Ich würde dieses Produkt herkömmlichen Cremens oder Salben vorziehen.		
Ich würde dieses Produkt weiterempfehlen.		

Vielen Dank für Ihre Mitarbeit.

User trial - Cream Mousse

Part I - Start of study

Thank you for your participation in this cosmetic trial. Bevor you have the chance to get acquainted with the test product, please answer the following questions about your current skin condition:

Your current skin condition

Question 1	How wou (selected	ld you r) treatm	ate your skin ent area? As.	in the	very dr	у	oily	
	(,	,			dry		comb	ination skin
					normal			
Question 2	How wou	ld vou c	lescribe your	skin in	—			4
Question 2.			eatment area c		very se		sensi	
					normal		insen	Isilive
Question 3	How ofter week?	n did yo	u notice in the	e (selecte	d) treatment	area <mark>feelings</mark> o	f tension o	during the last
never		rare	ely		sionally	often		very often
Q			you noticed a were these us		ely feelings	of tension duri	ng the last	week, how
C	very fain	t	faint		considerable	e strong		very strong
Question 5	How ofter	n did yo	u notice in the	e (selecte	d) treatment	area <mark>itching</mark> du	iring the la	st week?
never		rare	ely		sionally	often		very often
Q		In case this usu		t least rai	ely <mark>itching</mark> d	luring the the la	ist week, h	ow strong was
	very fain	t	faint		considerable	e strong		very strong
Question 7	How ofter	n surfac	ed in the (sel	ec <i>ted</i>) tre	atment area	skin redness d	uring the la	ast week?
never		rare	ely		sionally	often		very often
G		In case this usu		surfaced	at least rare	ly during the las	st week, ho	ow strong was
	very fain	t	faint		considerable	e strong		very strong

Thank you for your cooperation.

User trial - Cream Mousse

Part II - End of study

Thank you for your participation in this cosmetic trial. After you had the chance to get acquainted with the test product during the past 4 weeks, please answer the following questions about your current skin state and your impressions of the test product and its effects:

Your current skin condition

Question 9.	How often did you notice in the (selected) treatment area feelings of tension during the last
	week?

never	rarely		sionally	often	very	often
Question 10	In case you notic strong were thes		rely feelings c	of tension during	g the last weel	k, how
very fair	nt 📄 faint		considerable	strong	ver	y strong
Block 11. In case yo level of ag	u noticed <mark>feelings</mark> reement with the fo	ollowing state	ment about ef	ficacy of the tes	t product:	-
		totally agree	tend to agree	undecided	tend to disagree	totally disagree
The product reduces tension.	s feelings of					
Question 12. How of	•		,	_	-	
never	rarely		sionally	often	very	otten
Question 13	3. In case you notic usually?	ced at least ra	rely <mark>itching</mark> d	uring the last we	eek, how stror	ng was this
🗌 very fai	nt 🔄 faint		considerable	strong	ver	y strong
Block 14. In case yo agreement	u noticed <mark>itching</mark> a t with the following					vel of
		totally agree	tend to agree	undecided	tend to disagree	totally disagree
Immediately after ap itching is reduced.	plicaiton,					
The product reduces	s itching.					
Question 15. How of	ten surfaced in the	(selected) tre	eatment area <mark>s</mark>	skin redness du	ring the last w	veek?

never rarely	occasionally often	very often
--------------	--------------------	------------

Question 16. In case skin redness surfaced at least rarely during the last week, how strong was this usually?

10				
I	verv faint	faint	considerable strong	verv strong
18				

Block 17. In case reddening surfaced at least rarely <u>at the start of the study</u>, please rate your level of agreement with the following statement about efficacy of the test product:

	totally agree	tend to agree	undecided	tend to disagree	totally disagree
The product reduces skin redness.					

Application - Your assessment of the application experience

Block 18. Please rate your level of agreement with the following statements about the properties and use of the test product:

The product is easy to apply.	
The product is quickly spreadable.	
The product has a pleasant scent.	_
The product feels pleasantly light on the skin.	
The product is quickly absorbed by the skin.	
The product is completely absorbed by the skin.	
The product does not leave a sticky feeling on the skin.	
The product does not leave a greasy feeling on the skin.	
The product leaves a pleasant skin sensation.	
After application, my skin feels	
After application, my skin feels	
After application, my skin feels	
Overall the application is more pleasant than that of a regular	
Overall the application is quicker than a that of a regular cream or ointment.	

Efficacy - Your assessment of the effects of the test product

Block 19. Please rate your level of agreement with the following statements about the efficacy of the test product:

	totally agree	tend to agree	undecided	tend to disagree	totally disgree
The product hydrates the skin.					
The product intensely hydrates the skin.					
The product soothes the skin in case of irritations.					
My skin feels smoother.					
My skin feels more supple.					
Overall, the product alleviates / reduces skin irritations.					
Overall, the product is suitable for my sensitive skin.					
Overall, the condition of my skin has improved since I use the product.					
Overall, I consider the product to be more convenient than regular creams or ointments.					
The presentation as foam is optimally suited for daily use.					

Overall evaluation

Block 20. In answering the following questions, please assume the price of the product to be within the range you normally spend on branded cosmetic products for supplementary care:

	Yes	No
Overall, I am happy with this product.		
I would buy this product.		
I would prefer this product over regular creams or ointments.		
I would recomment this product.		


Thank you for your cooperation.


Appendix IV

Graphic questionnaire evaluation


User Trial with "Callusan verde cream mousse / Cremeschaum" (25072023)


n=30; 5-point Likert scales collapsed to 3-point scales







Question 2









Questions 4 / 10 - Improvement by minimum 1 category in 12 of 16 subjects (75%)




Block 11 - Answers from 16 subjects with feelings of tension (study start)




Questions 5 / 12 - Improvement by minimum 1 category in 25 of 30 subjects (83%)




Questions 6 / 13 - Improvement by minimum 1 category in 24 of 30 subjects (80%)




Block 14 - Answers from 30 subjects with itching (study start)




Questions 7 & 15 - Improvement by minimum 1 category in 15 of 21 subjects (71%)




Questions 8 & 16 - Improvement by minimum 1 category in 17 of 21 subjects (81%)




Block 17 - Answers from 21 subjects with skin redness (study start)




Block 18a




Block 18b




Block 18c




Block 18d




Block 18e




Block 19a




Block 19b




Block 19c



Block 19d



Block 20a



Block 20b

Appendix V

Crosstabs & distribution tables

User Trial with "Callusan verde cream mousse / Cremeschaum" (25072023)

n=30

Tension feelings - start/Tension		Tension feelings - end						
feelings - end frequency	never	rarely	occasionally	often	very often	Total		
never	14	0	0	0	0	14		
rarely	2	1	1	0	0	4		
occasionally	3	0	2	0	0	5		
often	0	5	1	0	0	6		
very often	0	1	0	0	0	1		
Total	19	7	4	0	0	30		

Questions 3 / 9 - Improvement by minimum 1 category in 12 of 16 subjects (75%)

Tens. f. strength -		Tens. f. strength - end					Tens. f. strength - end
start/Tens. f. strength - end frequency	(Not answered)	very faint	faint	considerable	strong	very strong	Total
(Not answered)	14	0	0	0	0	0	14
very faint	0	0	0	0	0	0	0
faint	5	0	3	0	0	0	8
considerable	0	4	1	1	0	0	6
strong	0	1	1	0	0	0	2
very strong	0	0	0	0	0	0	0
Total	19	5	5	1	0	0	30

Questions 4 / 10 - Improvement by minimum 1 category in 12 of 16 subjects (75%)

Itching - start/Itching - end	Itching - end			Itching - end		
frequency	never	rarely	occasionally	often	very often	Total
never	0	0	0	0	0	0
rarely	0	0	0	0	0	0
occasionally	4	4	3	0	0	11
often	4	8	4	1	0	17
very often	1	0	0	0	1	2
Total	9	12	7	1	1	30

Questions 5 / 12 - Improvement by minimum 1 category in 25 of 30 subjects (83%)

Itching strength -		Itching strength - end					Itching strength - end
start/Itching strength - end frequency	(Not answered)	very faint	faint	considerable	strong	very strong	Total
(Not answered)	0	0	0	0	0	0	0
very faint	0	0	0	0	0	0	0
faint	1	1	1	0	0	0	3
considerable	8	3	6	2	0	0	19
strong	0	2	2	1	3	0	8
very strong	0	0	0	0	0	0	0
Total	9	6	9	3	3	0	30

Questions 6 / 13 - Improvement by minimum 1 category in 24 of 30 subjects (80%)

Reddening - start/Reddening -		Reddening - end				Reddening - end
end frequency	never	rarely	occasionally	often	very often	Total
never	9	0	0	0	0	9
rarely	5	1	0	0	0	6
occasionally	5	2	2	0	0	9
often	1	1	0	3	0	5
very often	0	0	0	1	0	1
Total	20	4	2	4	0	30

Questions 7 / 15 - Improvement by minimum 1 category in 15 of 21 subjects (71%)

Reddening str	r Reddening str end					Reddening str end	
start/Reddening str end frequency	(Not answered)	very faint	faint	considerable	strong	very strong	Total
(Not answered)	9	0	0	0	0	0	9
very faint	0	0	0	0	0	0	0
faint	10	5	2	0	0	0	17
considerable	1	0	1	2	0	0	4
strong	0	0	0	0	0	0	0
very strong	0	0	0	0	0	0	0
Total	20	5	3	2	0	0	30

Questions 8 / 16 - Improvement by minimum 1 category in 17 of 21 subjects (81%)

User Trial with "Callusan verde cream mousse / Cremeschaum" (25072023)

n=30

Part I - Start of study

Skin type	Frequency	Percentage
very dry	7	23,3%
dry	21	70,0% 6,7%
normal	2	6,7%
oily	0	0,0%
combination skin	0	0,0%
Total	30	100

Question 1

Skin sensitivity	Frequency	Percentage
very sensitive	7	23,3%
sensitive	23	76,7%
normal	0	0,0%
insensitive	0	0,0%
Total	30	100

Question 2

Tension feelings - start	Frequency	Percentage
never	14	46,7%
rarely	4	13,3%
occasionally	5	16,7%
often	6	20,0%
very often	1	3,3%
Total	30	100

Question 3

Tens. f. strength - start	Frequency	Adj.percentage
very faint	0	0,0%
faint	8	50,0%
considerable	6	37,5%
strong	2	12,5%
very strong	0	0,0%
Total	16	100

Question 4

Itching - start	Frequency	Percentage
never	0	0,0%
rarely	0	0,0% 0,0%
occasionally	11	36,7%
often	17	56,7%
very often	2	6,7%
Total	30	36,7% 56,7% 6,7% 100

Question 5

Itching strength - start	Frequency	Adj.percentage
very faint	0	0,0%
faint	3	10,0%
considerable	19	63,3%
strong	8	26,7%
very strong	0	0,0%
Total	30	100

Question 6

Reddening - start	Frequency	Percentage
never	9	30,0%
rarely	6	20,0%
occasionally	9	30,0%
often	5	16,7%
very often	1	3,3%
Total	30	100

Question 7

Reddening str start	Frequency	Adj.percentage	
very faint	0	0,0%	
faint	17	81,0%	
considerable	4	19,0%	
strong	0	0,0% 0,0%	
very strong	0	0,0%	
Total	21	100	

Question 8

Part II - End of Study

Tension feelings - end	Frequency	Percentage
never	19	63,3%
rarely	7	23,3%
occasionally	4	13,3%
often	0	0,0%
very often	0	0,0%
Total	30	100

Question 9

Tens. f. strength - end	Frequency	Adj.percentage
very faint	5	45,5%
faint	5	45,5% 9,1%
considerable	1	9,1%
strong	0	0,0%
very strong	0	0,0%
Total	11	100

Question 10

Reduces tension	totally agree	tend to agree	undecided	tend to disagree	totally disagree	Total
Frequency	9	4	1	2	0	16
Adj.percentage	56,3%	25,0%	6,3%	12,5%	0,0%	100

Itching - end	Frequency	Percentage
never	9	30,0%
rarely	12	30,0% 40,0%
occasionally	7	23,3%
often	1	3,3%
very often	1	3,3%
Total	30	100

Question 12

Itching strength - end	Frequency	Adj.percentage
very faint	6	28,6%
faint	9	42,9%
considerable	3	14,3%
strong	3	14,3%
very strong	0	0,0%
Total	21	100

Question 13

Itching	Efficacy	totally agree	tend to agree	undecided	tend to disagree	totally disagree	Total
Eroquopov	Immed. reduces	7	11	7	4	1	30
Frequency	Reduces Itching	15	11	1	1	2	30
di porcontac	Immed. reduces	23,3%	36,7%	23,3%	13,3%	3,3%	100
dj.percentag	Reduces Itching	50,0%	36,7%	3,3%	3,3%	6,7%	100

Block 14

Reddening - end	Frequency	Percentage
never	20	66,7%
rarely	4	13,3%
occasionally	2	6,7%
often	4	13,3%
very often	0	0,0%
Total	30	100

Question 15

Reddening str end	Frequency	Adj.percentage	
very faint	5	50,0%	
faint	3	30,0%	
considerable	2	20,0%	
strong	0	0,0%	
very strong	0	0,0%	
Total	10	100	

Question 16

Reduces skin redness	totally agree	tend to agree	undecided	tend to disagree	totally disagree	Total
Frequency	14	4	1	2	0	21
Adj.percentage	66,7%	19,0%	4,8%	9,5%	0,0%	100

Арр	lication	totally agree	tend to agree	undecided	tend to disagree	totally disagree	Total
	Completely absorbed	10	15	4	1	0	30
	Easy to apply	22	7	1	0	0	30
	More pleasant app.	15	8	2	4	1	30
	No greasy feeling	15	13	2	0	0	30
	No sticky feeling	21	6	2	1	0	30
	Pleasant scent	7	16	4	1	2	30
	Pleasant	21	6	2	1	0	30
Frequency	Pleasantly	10	17	3	0	0	30
	Quicker app.	13	8	4	4	1	30
	Quickly absorbed	9	17	1	3	0	30
	Quickly spreadable	15	13	1	1	0	30
	Skin feels relaxed	10	13	6	1	0	30
	Skin feels soothed	11	11	7	1	0	30
	Skin feels well-cared	17	9	3	1	0	30
	Well spreadable	21	6	2	1	0	30
	Completely absorbed	33,3%	50,0%	13,3%	3,3%	0,0%	100
	Easy to apply	73,3%	23,3%	3,3%	0,0%	0,0%	100
	More pleasant app.	50,0%	26,7%	6,7%	13,3%	3,3%	100
	No greasy feeling	50,0%	43,3%	6,7%	0,0%	0,0%	100
	No sticky feeling	70,0%	20,0%	6,7%	3,3%	0,0%	100
	Pleasant scent	23,3%	53,3%	13,3%	3,3%	6,7%	100
	Pleasant senstion	70,0%	20,0%	6,7%	3,3%	0,0%	100
Percentage	Pleasantly light	33,3%	56,7%	10,0%	0,0%	0,0%	100
	Quicker app.	43,3%	26,7%	13,3%	13,3%	3,3%	100
	Quickly absorbed	30,0%	56,7%	3,3%	10,0%	0,0%	100
	Quickly spreadable	50,0%	43,3%	3,3%	3,3%	0,0%	100
	Skin feels relaxed	33,3%	43,3%	20,0%	3,3%	0,0%	100
	Skin feels soothed	36,7%	36,7%	23,3%	3,3%	0,0%	100
	Skin feels well-cared	56,7%	30,0%	10,0%	3,3%	0,0%	100
	Well spreadable	70,0%	20,0%	6,7%	3,3%	0,0%	100

Eff	їсасу	totally agree	tend to agree	undecided	tend to disagree	totally disgree	Total
	Condition improved	15	11	1	3	0	30
	Feels more supple	15	11	3	1	0	30
	Feels smoother	13	14	2	1	0	30
	Foam optimally	16	10	3	0	1	30
Frequency	Hydrates skin	19	10	0	1	0	30
Frequency	Hydrates skin int.	9	18	2	1	0	30
	More convenient	10	12	3	3	2	30
	Reduces irritations	14	11	2	3	0	30
	Soothes skin	9	11	5	5	0	30
	Suitable for my sens skin	18	10	1	1	0	30
	Condition improved	50,0%	36,7%	3,3%	10,0%	0,0%	100
	Feels more supple	50,0%	36,7%	10,0%	3,3%	0,0%	100
	Feels smoother	43,3%	46,7%	6,7%	3,3%	0,0%	100
	Foam optimally	53,3%	33,3%	10,0%	0,0%	3,3%	100
	Hydrates skin	63,3%	33,3%	0,0%	3,3%	0,0%	100
Percentage	Hydrates skin int.	30,0%	60,0%	6,7%	3,3%	0,0%	100
	More convenient	33,3%	40,0%	10,0%	10,0%	6,7%	100
	Reduces irritations	46,7%	36,7%	6,7%	10,0%	0,0%	100
	Soothes skin	30,0%	36,7%	16,7%	16,7%	0,0%	100
	Suitable for my sens skin	60,0%	33,3%	3,3%	3,3%	0,0%	100

Block 19

		Frequ	iency		Percentage					
Overall rating	Happy with product	Would buy	Would prefer	Would recommend	Happy with product	Would buy	Would prefer	Would recommend		
Yes	29	24	22	24	96,7%	80,0%	73,3%	80,0%		
No	1	6	8	6	3,3%	20,0%	26,7%	20,0%		
Total	30	30	30	30	100	100	100	100		

Appendix VI

Tabulated questionnaire raw data

DCC23U015 - Callusan verde cream mousse / Cremeschaum (25072023) - Questionnaire Raw Data

Subject	Skin type	Skin sensitivity	Tension feelings - start	Tens. f. strength - start	Itching - start	Itching strength - start	Reddening - start	Reddening str start	Tension feelings - end
1	dry	sensitive	rarely	faint	occasionally	considerable	never		occasionally
2	dry	sensitive	rarely	faint	very often	considerable	occasionally	faint	never
3	dry	sensitive	never		often	considerable	rarely	faint	never
4	very dry	sensitive	occasionally	faint	often	considerable	rarely	faint	never
5	dry	very sensitive	often	strong	often	strong	often	faint	rarely
6	very dry	sensitive	often	considerable	often	considerable	never		rarely
7	dry	sensitive	never		often	considerable	often	faint	never
8	very dry	very sensitive	very often	strong	often	considerable	often	considerable	rarely
9	dry	sensitive	never		often	considerable	never		never
10	normal	very sensitive	often	considerable	occasionally	faint	occasionally	faint	rarely
11	dry	sensitive	never		occasionally	considerable	never		never
12	dry	sensitive	occasionally	faint	occasionally	considerable	never		never
13	dry	sensitive	occasionally	considerable	occasionally	considerable	occasionally	considerable	occasionally
14	dry	very sensitive	never		often	considerable	occasionally	faint	never
15	dry	sensitive	never		often	faint	often	faint	never
16	very dry	sensitive	never		often	strong	occasionally	considerable	never
17	dry	sensitive	often	considerable	occasionally	strong	occasionally	faint	rarely
18	very dry	sensitive	never		very often	strong	often	considerable	never
19	dry	sensitive	never		often	strong	never		never
20	dry	sensitive	never		occasionally	considerable	occasionally	faint	never
21	dry	sensitive	occasionally	faint	occasionally	faint	rarely	faint	occasionally
22	normal	sensitive	never		occasionally	considerable	never		never
23	very dry	very sensitive	never		occasionally	strong	never		never
24	dry	very sensitive	rarely	faint	often	considerable	rarely	faint	rarely
	dry	sensitive	rarely	faint	often	considerable	rarely	faint	never
26	dry	sensitive	often	considerable	often	considerable	occasionally	faint	rarely
27	dry	sensitive	often	considerable	often	considerable	very often	faint	occasionally
28	dry	sensitive	never		often	strong	rarely	faint	never
29	dry	sensitive	never		occasionally	considerable	never		never
30	very dry	very sensitive	occasionally	faint	often	strong	occasionally	faint	never

DCC23U015 - Callusan verde cream mousse / Cremeschaum (25072023) - Questionnaire Raw Data

Subject	Tens. f. strength - end	Reduces tension	Itching - end	Itching strength - end	Immed. reduces	Reduces Itching	Reddening - end	Reddening str end	Reduces skin redness
1	faint	totally agree	occasionally	faint	undecided	tend to agree	never		
2		totally agree	never		undecided	totally agree	never		totally agree
3			occasionally	faint	tend to agree	tend to agree	never		totally agree
4		tend to agree	never		totally agree	totally agree	never		totally agree
5	very faint	totally agree	occasionally	considerable	undecided	totally agree	often	very faint	tend to agree
6	faint	tend to agree	rarely	faint	tend to agree	tend to agree	never		
7			rarely	very faint	tend to agree	totally agree	rarely	very faint	totally agree
8	faint	totally agree	rarely	very faint	tend to agree	totally agree	never		totally agree
9			occasionally	faint	tend to disagree	tend to agree	never		
10	very faint	totally agree	rarely	very faint	undecided	tend to agree	never		totally agree
11			occasionally	considerable	tend to disagree	undecided	never		
12		totally agree	never		totally agree	totally agree	never		
13	considerable	tend to disagree	occasionally	considerable	tend to disagree	tend to disagree	occasionally	considerable	tend to disagree
14			occasionally	very faint	tend to agree	tend to agree	never		totally agree
15			rarely	faint	undecided	tend to agree	often	very faint	tend to agree
16			rarely	faint	tend to agree	totally agree	occasionally	faint	tend to agree
17	very faint	tend to agree	rarely	faint	undecided	tend to agree	rarely	very faint	tend to agree
18			very often	strong	tend to disagree	totally disagree	often	considerable	tend to disagree
19			often	strong	totally disagree	totally disagree	never		
20			never		tend to agree	totally agree	rarely	very faint	totally agree
21	faint	tend to disagree	never		tend to agree	tend to agree	never		totally agree
22			never		totally agree	totally agree	never		
23			rarely	very faint	tend to agree	totally agree	never		
24	faint	undecided	rarely	faint	tend to agree	tend to agree	never		totally agree
25		totally agree	never		totally agree	totally agree	never		totally agree
26	very faint	totally agree	never		totally agree	totally agree	never		totally agree
27	very faint	tend to agree	never		totally agree	totally agree	often	faint	totally agree
28			rarely	strong	undecided	tend to agree	rarely	faint	undecided
29			rarely	faint	tend to agree	totally agree	never		
30		totally agree	rarely	very faint	totally agree	totally agree	never		totally agree

DCC23U015 - Callusan verde cream mousse	/ Cremeschaum (250720)	23) - Questionnaire Raw Data
---	------------------------	------------------------------

Subject	Easy to apply	Well spreadable	Quickly spreadable	Pleasant scent	Pleasantly light	Quickly absorbed	Completely absorbed	No sticky feeling	No greasy feeling
1	totally agree	totally agree	totally agree	totally agree	tend to agree	totally agree	totally agree	totally agree	totally agree
2	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree
3	totally agree	totally agree	tend to agree	undecided	tend to agree	tend to agree	tend to agree	totally agree	totally agree
4	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree
5	tend to agree	undecided	undecided	tend to agree	tend to agree	tend to disagree	undecided	undecided	undecided
6	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree
7	tend to agree	totally agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree
8	totally agree	totally agree	totally agree	totally agree	tend to agree	totally agree	totally agree	totally agree	totally agree
9	tend to agree	totally agree	totally agree	totally agree	tend to agree	tend to agree	tend to agree	totally agree	totally agree
10	totally agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree
11	totally agree	totally agree	tend to agree	tend to agree	totally agree	tend to agree	tend to agree	tend to agree	tend to agree
12	totally agree	totally agree	totally agree	tend to agree	totally agree	tend to agree	totally agree	totally agree	totally agree
13	undecided	undecided	tend to agree	totally disagree	undecided	tend to disagree	tend to disagree	undecided	undecided
14	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree
15	totally agree	tend to agree	tend to agree	totally agree	totally agree	tend to agree	tend to agree	totally agree	tend to agree
16	totally agree	totally agree	totally agree	undecided	undecided	tend to agree	undecided	totally agree	tend to agree
17	totally agree	totally agree	totally agree	tend to agree	tend to agree	tend to agree	tend to agree	totally agree	totally agree
18	totally agree	tend to agree	tend to agree	totally disagree	undecided	undecided	undecided	tend to agree	tend to agree
19	tend to agree	totally agree	totally agree	tend to disagree	totally agree	totally agree	totally agree	totally agree	totally agree
20	totally agree	totally agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	totally agree	totally agree
21	totally agree	totally agree	totally agree	tend to agree	totally agree	totally agree	totally agree	totally agree	totally agree
22	totally agree	totally agree	totally agree	tend to agree	totally agree	totally agree	totally agree	totally agree	totally agree
23	tend to agree	totally agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	totally agree	tend to agree
24	totally agree	totally agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	totally agree	totally agree
25	totally agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree
26	totally agree	totally agree	totally agree	tend to agree	totally agree	totally agree	totally agree	totally agree	totally agree
27	totally agree	totally agree	totally agree	undecided	tend to agree	tend to agree	tend to agree	totally agree	tend to agree
28	tend to agree	tend to disagree	tend to disagree	undecided	tend to agree	tend to disagree	undecided	tend to disagree	tend to agree
29	totally agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	totally agree	tend to agree
30	totally agree	totally agree	totally agree	tend to agree	tend to agree	tend to agree	tend to agree	totally agree	tend to agree

DCC23U015 - Callusan verde cream mousse / Cremeschaum (25072023) - Questionnaire Raw Data

Subject	Pleasant senstion	Skin feels well-cared	Skin feels soothed	Skin feels relaxed	More pleasant app.	Quicker app.	Hydrates skin	Hydrates skin int.	Soothes skin
1	totally agree	totally agree	undecided	undecided	totally disagree	totally disagree	totally agree	totally agree	tend to disagree
2	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	tend to agree	tend to agree
3	totally agree	totally agree	tend to agree	tend to agree	totally agree	totally agree	totally agree	totally agree	tend to agree
4	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	tend to agree
5	undecided	undecided	undecided	tend to agree	tend to disagree	tend to disagree	totally agree	tend to agree	tend to agree
6	totally agree	tend to agree	totally agree	tend to agree	totally agree	totally agree	totally agree	tend to agree	tend to agree
7	totally agree	totally agree	tend to agree	tend to agree	tend to agree	tend to agree	totally agree	tend to agree	tend to agree
8	totally agree	totally agree	tend to agree	tend to agree	totally agree	totally agree	totally agree	tend to agree	undecided
9	totally agree	tend to agree	undecided	undecided	tend to agree	tend to agree	tend to agree	tend to agree	undecided
10	tend to agree	tend to agree	tend to agree	totally agree	totally agree	totally agree	tend to agree	tend to agree	undecided
11	totally agree	totally agree	undecided	undecided	tend to agree	undecided	tend to agree	tend to agree	tend to disagree
12	totally agree	totally agree	tend to agree	tend to agree	totally agree	totally agree	totally agree	totally agree	totally agree
13	tend to disagree	tend to disagree	undecided	undecided	tend to disagree	tend to disagree	tend to disagree	tend to disagree	tend to disagree
14	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	undecided
15	totally agree	totally agree	undecided	tend to agree	undecided	undecided	totally agree	tend to agree	tend to agree
16	totally agree	totally agree	totally agree	tend to agree	undecided	tend to disagree	totally agree	totally agree	totally agree
17	totally agree	totally agree	totally agree	totally agree	totally agree	undecided	totally agree	totally agree	totally agree
18	tend to agree	tend to agree	tend to disagree	tend to disagree	tend to disagree	tend to disagree	tend to agree	undecided	undecided
19	totally agree	undecided	undecided	undecided	totally agree	totally agree	totally agree	tend to agree	tend to disagree
20	totally agree	totally agree	tend to agree	tend to agree	totally agree	totally agree	totally agree	tend to agree	totally agree
21	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	tend to agree	tend to agree	tend to agree
22	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree
23	tend to agree	tend to agree	totally agree	totally agree	tend to agree	tend to agree	totally agree	tend to agree	totally agree
24	totally agree	tend to agree	tend to agree	tend to agree	totally agree	totally agree	tend to agree	tend to agree	tend to agree
25	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree
26	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree
27	totally agree	totally agree	totally agree	totally agree	tend to agree	tend to agree	totally agree	tend to agree	totally agree
28	undecided	undecided	tend to agree	undecided	tend to disagree	undecided	tend to agree	undecided	tend to disagree
29	tend to agree	tend to agree	tend to agree	tend to agree	totally agree	tend to agree	tend to agree	tend to agree	tend to agree
30	totally agree	totally agree	totally agree	totally agree	tend to agree	tend to agree	totally agree	totally agree	totally agree

DCC23U015 - Callusan verde cream mousse	/ Cremeschaum (2507	2023) - Questionnaire Raw Data
---	---------------------	--------------------------------

Subject	Feels smoother	Feels more supple	Reduces irritations	Suitable for my sens skin	Condition improved	More convenient	Foam optimally suited	Happy with product	Would buy
1	totally agree	totally agree	tend to agree	tend to agree	tend to agree	totally disgree	undecided	Yes	No
2	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	Yes	Yes
3	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	Yes	Yes
4	totally agree	totally agree	tend to agree	totally agree	totally agree	totally agree	totally agree	Yes	Yes
5	totally agree	totally agree	tend to agree	totally agree	tend to agree	tend to disagree	tend to agree	Yes	Yes
6	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	totally agree	Yes	Yes
7	totally agree	totally agree	totally agree	totally agree	totally agree	tend to agree	tend to agree	Yes	Yes
8	tend to agree	tend to agree	totally agree	totally agree	totally agree	tend to agree	tend to agree	Yes	Yes
9	tend to agree	tend to agree	totally agree	totally agree	tend to agree	totally agree	totally agree	Yes	Yes
10	tend to agree	tend to agree	tend to agree	totally agree	totally agree	totally agree	totally agree	Yes	Yes
11	tend to agree	tend to agree	undecided	tend to agree	undecided	undecided	tend to agree	Yes	No
12	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	Yes	Yes
13	tend to disagree	tend to disagree	tend to disagree	tend to disagree	tend to disagree	totally disgree	totally disgree	No	No
14	tend to agree	tend to agree	undecided	tend to agree	tend to agree	tend to agree	tend to agree	Yes	Yes
15	tend to agree	totally agree	tend to agree	totally agree	tend to agree	undecided	totally agree	Yes	Yes
16	totally agree	totally agree	totally agree	totally agree	totally agree	undecided	tend to agree	Yes	Yes
17	totally agree	totally agree	tend to agree	tend to agree	tend to agree	totally agree	totally agree	Yes	Yes
18	undecided	undecided	tend to disagree	undecided	tend to disagree	tend to disagree	undecided	Yes	No
19	undecided	undecided	tend to disagree	totally agree	tend to disagree	tend to agree	tend to agree	Yes	No
20	totally agree	totally agree	totally agree	totally agree	totally agree	tend to agree	totally agree	Yes	Yes
21	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	totally agree	totally agree	Yes	Yes
22	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	Yes	Yes
23	tend to agree	totally agree	totally agree	totally agree	totally agree	tend to agree	tend to agree	Yes	Yes
24	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	tend to agree	Yes	Yes
25	tend to agree	tend to agree	totally agree	tend to agree	totally agree	tend to agree	totally agree	Yes	Yes
	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	totally agree	Yes	Yes
-	totally agree	totally agree	totally agree	totally agree	totally agree	tend to agree	totally agree	Yes	Yes
	tend to agree	undecided	tend to agree	tend to agree	tend to agree	tend to disagree	undecided	Yes	No
29	tend to agree	tend to agree	totally agree	totally agree	totally agree	totally agree	totally agree	Yes	Yes
30	totally agree	totally agree	totally agree	totally agree	totally agree	tend to agree	totally agree	Yes	Yes

Subject	Would prefer	Would recommend
1	No	No
2	Yes	Yes
3	Yes	Yes
4	Yes	Yes
5	No	Yes
6	Yes	Yes
7	Yes	Yes
8	Yes	Yes
9	Yes	Yes
10	Yes	Yes
11	No	No
12	Yes	Yes
13	No	No
14	Yes	Yes
15	No	Yes
16	No	Yes
17	Yes	Yes
18	No	No
19	Yes	No
20	Yes	Yes
21	Yes	Yes
22	Yes	Yes
23	Yes	Yes
24	Yes	Yes
25	Yes	Yes
26	Yes	Yes
27	Yes	Yes
28	No	No
29	Yes	Yes
30	Yes	Yes